




KS Label plate (single-line)



PRODUCT INFORMATION

High-quality, halogen-free, universal label. The KS 4/x label is used with sleeves KT, KTH, KTHQ or holders KM, KMH, KMHQ or KTN on wires, cables, lines or conduits.

- Available in various lengths
- Available in different colours
- Large head labelling area

Only the long mat version labels are to be used with the mp-LM laser series.

SPECIFICATIONS

	Polycarbonate (PC)
	-40 – 130 °C
	V0
	Single-line labelling

Article	Order No.	Color	RAL equiv.	Label size mm (B x A)	Printable area mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
Label length 12 mm, long mat design (L)										
KS 4/12 L	86362026	White	9016	4.00 x 12.00	4.00 x 12.00	6 / 1	57	GP3, Single tree adapter 3	477	1026
KS 4/12 L	86362018	Yellow	1018	4.00 x 12.00	4.00 x 12.00	6 / 1	57	GP3, Single tree adapter 3	478	1026
KS 4/12 L	86362020	Red	2012	4.00 x 12.00	4.00 x 12.00	6 / 1	57	GP3, Single tree adapter 3	479	1026
KS 4/12 L	86362022	Green	6018	4.00 x 12.00	4.00 x 12.00	6 / 1	57	GP3, Single tree adapter 3	480	1026
KS 4/12 L	86362024	Blue	5012	4.00 x 12.00	4.00 x 12.00	6 / 1	57	GP3, Single tree adapter 3	481	1026
Label length 18 mm, long mat design (L)										
KS 4/18 L	86362036	White	9016	4.00 x 18.00	4.00 x 18.00	10 / 1	57	GP3, Single tree adapter 3	472	1026
KS 4/18 L	86362028	Yellow	1018	4.00 x 18.00	4.00 x 18.00	10 / 1	57	GP3, Single tree adapter 3	473	1026
KS 4/18 L	86362030	Red	2012	4.00 x 18.00	4.00 x 18.00	10 / 1	57	GP3, Single tree adapter 3	474	1026
KS 4/18 L	86362032	Green	6018	4.00 x 18.00	4.00 x 18.00	10 / 1	57	GP3, Single tree adapter 3	475	1026
KS 4/18 L	86362034	Blue	5012	4.00 x 18.00	4.00 x 18.00	10 / 1	57	GP3, Single tree adapter 3	476	1026
Label length 23 mm, long mat design (L)										
KS 4/23 L	86362064	White	9016	4.00 x 23.00	4.00 x 23.00	12 / 1	34	GP3	459	1020
KS 4/23 L	86362066	Yellow	1018	4.00 x 23.00	4.00 x 23.00	12 / 1	34	GP3	460	1020
KS 4/23 L	86362068	Red	2012	4.00 x 23.00	4.00 x 23.00	12 / 1	34	GP3	461	1020
Label length 30 mm, long mat design (L)										
KS 4/30 L	86362042	White	9016	4.00 x 30.00	4.00 x 30.00	16 / 1	34	GP3	462	1020
KS 4/30 L	86362046	Yellow	1018	4.00 x 30.00	4.00 x 30.00	16 / 1	34	GP3	463	1020
KS 4/30 L	86362040	Red	2012	4.00 x 30.00	4.00 x 30.00	16 / 1	34	GP3	464	1020

KS Label plate (single-line)

Article	Order No.	Color	RAL equiv.	Label size mm (B x A)	Printable area mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
KS 4/30 L	86362044	Green	6018	4.00 x 30.00	4.00 x 30.00	16 / 1	34	GP3	465	1020
KS 4/30 L	86362045	Blue	5012	4.00 x 30.00	4.00 x 30.00	16 / 1	34	GP3	466	1020
Label length 10 mm, 4-line mat design (4ST)										
KS 4/10 4ST	86361084	White	9016	4.00 x 10.00	4.00 x 10.00	5 / 1	64	GP4	A86	1024
Label length 12 mm, 4-line mat design (4ST)										
KS 4/12 4ST	86361086	White	9016	4.00 x 12.00	4.00 x 12.00	6 / 1	64	GP4	A87	1024
KS 4/12 4ST	86361087	Yellow	1018	4.00 x 12.00	4.00 x 12.00	6 / 1	64	GP4	430	1024

MATERIAL PROPERTIES



Material
Polycarbonate (PC)

THERMAL PROPERTIES



Temperature / temperature range
-40 – 130 °C

FIRE PROPERTIES



Fire classification
V0

TECHNICAL INFORMATION



Halogen-free
DIN/VDE 0472, Part 815

GENERAL TECHNICAL DATA



Single-line labelling

ASSEMBLY METHOD



Sleeve system



Cable tie system with sleeves



Clamping system



Self-clamping system

KS Label plate (single-line)

LABELLING TECHNOLOGY



Plotter



Laser devices



Inkjet

Single wire, cable and conduit labelling

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID_114725~20230618~890286~acs_mod_ks_ein