



KST type plate




Product information

Type plate for marking installations, components, housings, and appliances. Fixing with self-adhesive foil. The option of additional securing via rivets or screw-mounting.

Base plates
GP 120x120 (mp-LM 1M, mp-IM)
GPU A4 (plotter)
mp-LM Carrier plate premium (mp-LM 3)

A suction and filter unit is absolutely necessary to comply with legal regulations on health protection.

Information, conformities and approvals



Article	Order No.	Color	Label size mm (B x A)	Printable area mm (C x B)	Software Article	PU pcs.
KST 52x26 R3	8607140006	White	52 x 26	37 x 26	L36	10
KST 74x37 R3	8607140005	White	74 x 37	59 x 37	L35	10
KST 84x54 R3	8607140004	White	84 x 54	69 x 54	L34	10
KST 100x60 R5	8607140003	White	100 x 60	82.5 x 60	L33	10
KST 120x70 R5	8607140002	White	120 x 70	102.5 x 70	L32	10
KST 139x85 R5	8607140001	White	139 x 85	121.5 x 85	L31	10
KST 139x139 R5	8607140000	White	139 x 139	121.5 x 139	L30	10

Material properties



Polycarbonate II



KST type plate

Adhesive properties



468Adhesive

Thermal properties



Temperature / temperature range -40 °C – 130 °C

Fire properties



Fire classificationV0

Technical information



Halogen-free

Classification



ETIM 9: EC001288 || eClass 14: 27144009 || UNSPSC: 39131504 ||

General technical data



Assembly method0000000100110

Assembly method



Adhesive system



Riveting system



Screw system

Labelling technology



Plotter



Laser



KST type plate

Labelling technology



Inkjet
